

Bid Number: GEM/2022/B/2029073

Dated: 07-04-2022

Bid Document

Bid Details		
28-04-2022 19:00:00		
28-04-2022 19:30:00		
90 (Days)		
60 (Days)		
Gujarat		
Education Department Gujarat		
Gujarat University		
Ahmedabad		
275905		
Camera for CCTV System (Q2), Video Recorder For Cctv System-IS 9000 (Q2), 8 Port PoE Managed Switch (Q3), Cat 6 Patch Panel Rev 1 (Q3), CAT 6 Information outlet (Q3), Networking Rack 9U (Q3), Professional Large Format Display (Q2), Line Intractive UPS with AVR (Q3), Cat 6 Patch cord (Q3), CAT 6 Cable for Indoor use (Q3), Laying & Installation Charges for Cables (with or without conduit) Suitable for CCTV System(Accessories) (Q4), Insulated Electrical Conduits Pipe-IS 9537 (Q3), Supply & Installation of Pole / Mast Suitable for CCTV System (Accessories) (Q4), 24 Port L2 Managed Switch (Q3), 24 Port Fiber and Copper Managed Switch (Q3), Networking Rack 24U (Q3), Online Ups-IS:9000 (Q3), Fiber Optic Patch Cord (Q3), Fiber Optic Patch Panels, Rack Mountable (Q3), 1G SFP Module (Q3), 10G SFP Module (Q3), Fibre Cable for Networking (Q3), 32MM HDPE CONDUIT / PIPE (Q3), 24- Port 10G Managed Switch (Q3), media control systems or wireless presentation system (Q2), Switcher (Q2), Audio Video Cable (Q3), PA Mixer (Q3)		
300 Lakh (s)		
600 Lakh (s)		
3 Year (s)		
Yes		
Yes		

Bid Details	
Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	80 %
Bid to RA enabled	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Primary product category	24 Port L2 Managed Switch
Time allowed for Technical Clarifications during technical evaluation	2 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	1.00
EMD Amount	600000

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	62

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Registrar Gujarat University , Ahmedabad (Registrar)

Splitting

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference	No
MSE Purchase Preference	INO

MII Purchase Preference

	MII Purchase Preference	No	
ш		(I	

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
- 8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
 - i. If number of technically qualified bidders are only 2 or 3.
 - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
 - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
 - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue	

1 1 3-04-2022 1 3:00:00	Rollwala computer centre, Gujarat University Campus, Navrangpura	
	Ahmedabad	

Camera For CCTV System (300 pieces)

Brand Type	Registered Brand
1 ,	9

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
IMAGE SENSOR	Image Sensor Type	CMOS
	Image Sensor Size	1, 0.67, 0.5, 0.34, 0.357, 0.37, 0.4, 0.333, 0.555, 0.526, 0.588, 0.544 Or higher
	Camera Image Sensing capacity (Picture Mode)	2MP
	Resolution	D1 (704 x 480 Pixel), Full HD (1920 x 1080 Pixel), HD (1280 x 720 Pixel)
	Day/Night Capable	Yes
	IR illumination Range(mtr)	30
CAMERA TYPE	Type of Camera Housing	DOME CAMERA
	IP Camera	Yes
	PTZ Camera	No
OPTICS	Lens Type	Motorized Varifocal
	Focal Length(mm)	2.7-13.55, 2.8 - 12
VIDEO	Frame Rate (fps)	25, 30
	Video Compression	H.264, H.265+, MJPEG
	Video Streaming	Triple compressed stream
PAN / TILT / ZOOM	Pan Speed (deg/sec)	NA
	Tilt Speed (deg/sec)	NA
	Optical Zoom	NA
	Digital Zoom	10X, 12X, 16X, NA
AUDIO	Audio Support	Yes
ALARM	Alarm Support	Yes
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.01, 0.005, 0.008, 0.002, 0.001 Or lower
	WDR (Wide Dynamic Range)	120 dB
	SNR (Signal to Noise Ratio)	50-60
STORAGE	On Board SD Card Support	Yes
	SD Card Memory(GB)	32

Specification	Specification Name	Bid Requirement (Allowed Values)
HOUSING	Installation Type	Indoor, Outdoor
	Material of the Housing construction	Alluminium
	Protection	IP67
	Mounting bracket	Ceiling Mounted
POWER SUPPLY	Power Input	12 V DC, PoE
WARRANTY /	Warranty	1, 2, 3, 4, 5 Or higher
SERVICES	Time for Replacement of Defective Product During Warranty Period	12, 24, 36, 48, 72 Or lower
ENVIRONMENTAL / CERTIFICATION	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes

Additional Specification Parameters - Camera For CCTV System (300 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)	
Warranty	5 years	

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	300	90

Camera For CCTV System (75 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

Specification Specification Name		Bid Requirement (Allowed Values)	
IMAGE SENSOR	Image Sensor Type	CMOS	

Specification	Specification Name	Bid Requirement (Allowed Values)	
	Image Sensor Size	1, 0.67, 0.5, 0.34, 0.357, 0.37, 0.4, 0.333, 0.555, 0.526, 0.588, 0.544 Or higher	
Camera Image Sensing capacity (Picture Mode)		2MP	
		D1 (704 x 480 Pixel), Full HD (1920 x 1080 Pixel), HD (1280 x 720 Pixel)	
Day/Night Capable		Yes	
	IR illumination Range(mtr)	50	
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA	
	IP Camera	Yes	
	PTZ Camera	No	
OPTICS	Lens Type	Motorized Varifocal	
	Focal Length(mm)	2.7-13.55, 2.8 - 12	
VIDEO	Frame Rate (fps)	25, 30	
	Video Compression	H.264, H.265+, MJPEG	
	Video Streaming	Triple compressed stream	
PAN / TILT / ZOOM	Pan Speed (deg/sec)	NA	
	Tilt Speed (deg/sec)	NA	
	Optical Zoom	NA	
	Digital Zoom	10X, 12X, 16X, NA	
AUDIO	Audio Support	Yes	
ALARM	Alarm Support Yes		
PERFORMANCE Minimum Illumination for Capturing Color Image		0.01, 0.005, 0.008, 0.002, 0.001 Or lower	
	WDR (Wide Dynamic Range)	120 dB	
	SNR (Signal to Noise Ratio)	50-60	
STORAGE	On Board SD Card Support	Yes	
	SD Card Memory(GB)	32	
HOUSING	Installation Type	Indoor, Outdoor	
	Material of the Housing construction	Alluminium	
	Protection	IP67	
	Mounting bracket	Wall Mounted	
POWER SUPPLY	Power Input	12 V DC, PoE	
WARRANTY /	Warranty	3, 4, 5 Or higher	
SERVICES	Time for Replacement of Defective Product During Warranty Period	12, 24, 36, 48, 72 Or lower	

Specification	Specification Name	Bid Requirement (Allowed Values)	
ENVIRONMENTAL / CERTIFICATION	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes	

Additional Specification Parameters - Camera For CCTV System (75 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	5 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	75	90

Video Recorder For Cctv System-IS 9000 (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
VIDEO	Number of Video Input Channels	8
	Number of Non-IP based Video input Channels for HVR	NA
	Number of IP based Video input Channels for HVR	NA
	Number of Video Output Channels	8
	Recording Resolution	4K (3840 × 2160)
TYPE	Type of Recording Device	NVR

Specification	Specification Name	Bid Requirement (Allowed Values)
	IP Camera Support	Yes
	PTZ Camera control Support	Yes
	Housing construction	Alluminium
	Mounting	Rack Mounted
Rack Mount configuration		1U, 2U, 4U
	Capability of Recorder to Work with Other Makes of CCTV Cameras (ONVIF support)	Yes
WARRANTY /	Warranty	1, 2, 3, 4, 5
SERVICES	Time for Replacement of Defective Product During Warranty Period	72.0
ENVIRONMENTAL / CERTIFICATION	BIS Registration for safety general requirements as per IS: 13252 (Part 1): latest	Yes

Additional Specification Parameters - Video Recorder For Cctv System-IS 9000 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	5 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	1	90

Video Recorder For Cctv System-IS 9000 (4 pieces)

Brand Type	Registered Brand	ĺ
brand Type	Registered Brand	ı

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
VIDEO	Number of Video Input Channels	16
	Number of Non-IP based Video input Channels for HVR	NA
	Number of IP based Video input Channels for HVR	NA
	Number of Video Output Channels	16
	Recording Resolution	4K (3840 × 2160)
TYPE	Type of Recording Device	NVR
	IP Camera Support	Yes
	PTZ Camera control Support	Yes
	Housing construction	Alluminium
	Mounting	Rack Mounted
	Rack Mount configuration	1U, 2U, 3U, 4U
	Capability of Recorder to Work with Other Makes of CCTV Cameras (ONVIF support)	Yes
WARRANTY /	Warranty	3.0
SERVICES	Time for Replacement of Defective Product During Warranty Period	72.0
ENVIRONMENTAL / CERTIFICATION BIS Registration for safety general requirements as per IS: 13252 (Part 1): latest		Yes

Additional Specification Parameters - Video Recorder For Cctv System-IS 9000 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	5 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	4	90

Video Recorder For Cctv System-IS 9000 (1 pieces)

Brand Type	Registered Brand

Technical Specifications

* As per GeM Category Specification

Specification Specification Name		Bid Requirement (Allowed Values)
VIDEO	Number of Video Input Channels	32
	Number of Non-IP based Video input Channels for HVR	NA
	Number of IP based Video input Channels for HVR	NA
	Number of Video Output Channels	32
	Recording Resolution	4K (3840 × 2160)
TYPE	Type of Recording Device	NVR
	IP Camera Support	Yes
	PTZ Camera control Support	Yes
	Housing construction	Alluminium
	Mounting	Rack Mounted
	Rack Mount configuration	1U, 2U, 3U, 4U
WARRANTY /	Warranty	3.0
SERVICES	Time for Replacement of Defective Product During Warranty Period	72.0
ENVIRONMENTAL / CERTIFICATION	BIS Registration for safety general requirements as per IS: 13252 (Part 1): latest	Yes

Additional Specification Parameters - Video Recorder For Cctv System-IS 9000 (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	5 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	1	90

Video Recorder For Cctv System-IS 9000 (2 pieces)

Brand Type	Registered Brand
2.4	1.109.010.00.210.10

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
VIDEO	Number of Video Input Channels	64
	Number of Non-IP based Video input Channels for HVR	NA
	Number of IP based Video input Channels for HVR	NA
	Number of Video Output Channels	64
	Recording Resolution	4K (3840 × 2160)
ТҮРЕ	Type of Recording Device	NVR
	IP Camera Support	Yes
	PTZ Camera control Support	Yes
	Housing construction	Alluminium
WARRANTY /	Warranty	2.0
SERVICES	Time for Replacement of Defective Product During Warranty Period	72.0

Additional Specification Parameters - Video Recorder For Cctv System-IS 9000 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)	
BIS Registration for safety general requirements as per IS:13252 (Part 1): latest	Yes	
Rack Mount configuration	1U, 2U, 3U, 4U	
Warranty	5 years	

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	2	90

Video Recorder For Cctv System-IS 9000 (2 pieces)

Brand Type	Registered Brand

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
VIDEO	Number of Video Input Channels	128
	Number of Non-IP based Video input Channels for HVR	NA
	Number of IP based Video input Channels for HVR	NA
	Number of Video Output Channels	64
	Recording Resolution	4K (3840 × 2160)
TYPE	Type of Recording Device	NVR
	IP Camera Support	Yes
	PTZ Camera control Support	Yes
	Housing construction	Alluminium
	Mounting	Rack Mounted
	Rack Mount configuration	2U, 3U, 4U

Specification	Specification Name	Bid Requirement (Allowed Values)
	Capability of Recorder to Work with Other Makes of CCTV Cameras (ONVIF support)	Yes
WARRANTY /	Warranty	3.0
SERVICES	Time for Replacement of Defective Product During Warranty Period	72.0
ENVIRONMENTAL / CERTIFICATION	BIS Registration for safety general requirements as per IS: 13252 (Part 1): latest	Yes

Additional Specification Parameters - Video Recorder For Cctv System-IS 9000 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	5 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	2	90

8 Port PoE Managed Switch (68 pieces)

Brand Type	Unbranded
Brana Type	onbranaea

Technical Specifications

Buyer Specification Document	Download

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	68	90

Cat 6 Patch Panel Rev 1 (68 pieces)

Brand Type	Registered Brand
brand Type	Registered Brand

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Constructional	Material of patch panel	Cold Rolled Steel, Steel
	Modular plug fitting (RJ 45)	Individual ports for loaded
	Dust protection for information outlet	Yes, No
Generic	Patch panel suitability for (Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair)	CAT 6 U/UTP
	Height of patch panel	10
	No. of ports (RJ 45)	24 Ports Un- Loaded
	Cable Management (Rear side)	With, Without

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	68	90

CAT 6 Information Outlet (544 pieces)

Brand Type

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)	
GENERIC	Type of information outlet	U/UTP (Unshielded)	
	No. of ports (RJ 45)	One port	
	Dust protection for Face Plate or Information Outlet	No	
	Back Box (3x3 inches)	No	
	Termination type	With tool	

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	544	90

Networking Rack 9U (142 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	<u>Download</u>	

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	142	90

CAT 6 Information Outlet (1679 pieces)

Brand Type Registered Brand		
-----------------------------	--	--

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)	
GENERIC	Type of information outlet	U/UTP (Unshielded)	
	No. of ports (RJ 45)	One port	
	Dust protection for Face Plate or Information Outlet	Yes	
	Back Box (3x3 inches)	Yes	
	Termination type	With tool	

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	1679	90

Professional Large Format Display (9 pieces)

Brand Type

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)	
Ungrouped	Technology	LED Backlit	
	Screen Size (Diagonal) Minimum (cm)	108, 121, 138, 164, 175, 189, 216, 247, 152, 203, 228, 304, 254, 139 Or higher	
	Screen Type	Non Touch	
	Native Resolution (Pixels)	3840 x 2160 (UHD)	
	Aspect Ratio	16:9	
	Brightness (Nits) Minimum	500, 600, 700, 1000, 1500, 2500, 3000, 4000, 550 Or higher	
	Duty Cycle	24 x 7	
	On Site OEM Warranty (Year)	3	

Additional Specification Parameters - Professional Large Format Display (9 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
On Site OEM Warranty (Year)	5 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	9	90

Professional Large Format Display (4 pieces)

Brand Type	Registered Brand
· · ·	

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Ungrouped	Technology	LED Backlit
	Screen Size (Diagonal) Minimum (cm)	138, 164, 175, 189, 216, 247, 152, 203, 228, 304, 254, 139 Or higher
	Screen Type	Non Touch
	Native Resolution (Pixels)	3840 x 2160 (UHD)
	Aspect Ratio	16:9
	Brightness (Nits) Minimum	500, 600, 700, 1000, 1500, 2500, 3000, 4000, 550 Or higher
	Duty Cycle	24 x 7
	On Site OEM Warranty (Year)	3

Additional Specification Parameters - Professional Large Format Display (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
On Site OEM Warranty (Year)	5 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	4	90

Line Intractive UPS With AVR (68 pieces)

Brand Type Registered Brand	Brand Type	Registered Brand
-----------------------------	------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rating in KVA/ min VAH capacity of battery (KVA/VAH)	0.6/84
	Technology	MOSFET-PWM
	Type of battery	SMF-VRLA confirming to JISC-8702 Pt 1,2 &3
	Rated Output (Volt)	Single Phase Quasi-Sin-wave 230 V AC, 50 Hz
	Degree of protection	IP 20
	Inverter Efficiency (%)	> / = 60%
	Warranty for the battery from the date of delivery	1 year
	Warranty for Line Interactive UPS	3 Years
CONSTRUCTIONAL	AC out put for printer (not through inverter)	Sleep mode for router load
	Inverter out put socket AC out put for printer (not through inverter)	3 Three pin
FUNCTIONAL	Overload Time (Minutes)	> / = 10 minutes
	Load power factor	> / = 0.6
	Variation in AVR output in AC mode (%) AVR (Voltage regulation) output voltage in AC Mode	230 Volts +/-9%, 50 +/-3 Hz

Additional Specification Parameters - Line Intractive UPS With AVR (68 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	5 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	68	90

Cat 6 Patch Cord (1679 meter)

Brand Type	Registered Brand

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Patch cord type : Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair	CAT6 U/UTP
	Patch cord colour	Grey
	Length of Patch cord (Mtrs)	1.0
CONSTRUCTIONAL	Cable jacket material	Fire retardant PVC
	Storage temperature range	-20 deg.C to +60 deg.C
	Operating temperature range	-20 deg.C to +60 deg.C
CERTIFICATIONS	UL Marking on Cable	Yes

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	1679	90

Cat 6 Patch Cord (1304 meter)

Brand Type Registered Brand

Technical Specifications

* As per GeM Category Specification

	,		
Specification	Specification Name	Bid Requirement (Allowed Values)	
GENERIC	Patch cord type : Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair	CAT6 U/UTP	
	Patch cord colour	Grey	
	Length of Patch cord (Mtrs)	2.0	
CONSTRUCTIONAL	Cable jacket material	Fire retardant PVC	
	Storage temperature range	-20 deg.C to +60 deg.C	
	Operating temperature range	-20 deg.C to +60 deg.C	
CERTIFICATIONS	UL Marking on Cable	Yes	

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	1304	90

CAT 6 Cable For Indoor Use (93000 meter)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)	
GENERIC	Cable category: Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair or Category 6 Shielded /Foiled Twisted Pair	CAT6 U/UTP	
	Cable colour	Grey	
	Conductor diameter	0.57 mm (23 AWG)	
	Length of cable in a bundle (Mtrs)	305 mtrs.	
CONSTRUCTIONAL	Cable jacket material	Fire retardant PVC	
CERTIFICATIONS	UL Marking on Cable	Yes	

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	93000	90

Laying & Installation Charges For Cables (with Or Without Conduit) Suitable For CCTV System(Accessories) (93000 meter)

Brand Type	Unbranded	
------------	-----------	--

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)	
Laying & Installation Charges for Cables (with or without	Suitable Conduit Pipe	Without	
	Conduit material	PVC Pipe	
conduit) Suitable for CCTV	Laying location	Above Surface	
System(Accessories)	Depth of laying in case of under ground laying	0.0	
	Number of Cables to be laid	Single Cable of any type	

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	93000	90

Insulated Electrical Conduits Pipe-IS 9537 (31000 pieces)

Brand Type Unbranded

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)	
GENERIC	Classification of Conduit	Medium Mechanical Stresses	
CONSTRUCTIONAL	Nominal Size of the Conduit, (mm)	25	
	Length (Metres)	3	
	Socket ended conduit (at one end)	Yes	
CERTIFICATION	ISI Marked	No	

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	31000	90

Laying & Installation Charges For Cables (with Or Without Conduit) Suitable For CCTV System(Accessories) (31000 meter)

Brand Type Unbranded

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Laying & Installation	Suitable Conduit Pipe	With
Charges for Cables (with or without	Conduit material	PVC Pipe
conduit) Suitable for CCTV	Laying location	Above Surface
System(Accessories)	Depth of laying in case of under ground laying	0, 30, 60, 90
	Number of Cables to be laid	Bunch upto 3 Cables of any type

Consignees/Reporting Officer and Quantity

S.No	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	31000	90

Supply & Installation Of Pole / Mast Suitable For CCTV System (Accessories) (7 pieces)

Brand Type	Unbranded	
------------	-----------	--

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
''' /	Type of Pole	Cylindrical/Tubular Pole
of Pole / Mast Suitable for CCTV	Mounting Bracket	With
System (Accessories)	Finish	Galvanized
	Pole / Mast Height	6.0
	Type of Fixing	With Base Plate

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	7	90

24 Port L2 Managed Switch (74 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	<u>Download</u>

Consignees/Reporting Officer and Quantity

S	S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1		Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	74	90

Cat 6 Patch Panel Rev 1 (74 pieces)

Brand Type	Registered Brand	
------------	------------------	--

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)	
Constructional	Material of patch panel	Cold Rolled Steel	
	Modular plug fitting (RJ 45)	Non individual ports	
	Dust protection for information outlet	No	
Generic	Patch panel suitability for (Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair)	CAT 6 U/UTP	
	Height of patch panel	10	

Specification	Specification Name	Bid Requirement (Allowed Values)
	No. of ports (RJ 45)	24 Ports Loaded
	Cable Management (Rear side)	With

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	74	90

24 Port Fiber And Copper Managed Switch (11 pieces)

Brand Type

Technical Specifications

Buyer Specification Document	Download	
------------------------------	----------	--

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	11	90

Networking Rack 24U (11 pieces)

П	Down of Trans	Underson de d	П
П	Brand Type	Unbranded	П

Technical Specifications

Buyer Specification Document	Download

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	11	90

Online Ups-IS:9000 (11 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic	Rating in KVA (KVA)	1.0 KVA
	Technology	IGBT-PWM without inbuilt isolation transformer
	Input Power	single phase 160V - 260V sinewave,50Hz
	Output power	Single phase 230V +/-1% sinewave 50 Hz
	Backup time (Minutes)	30
	Minimum VAH (VAH)	0 - 640000
	Warranty for UPS (Years)	2
	Movable trolly for Batteries	With, Without, Without trollery but with rack
	Warranty for battery	2
	Degree of Protection	IP20
	Cabling 5 meters for input and out put	With
	Paralleling kit for synchronising	Without
Constructional	Type of Battery	SMF-VRLA conforming to JISC:8702(Pt.I,II&III)
Functional	20% Overload limit for minimum 10 minutes	Yes, No, only for 5 Minutes
	Overall Efficiency (%)	>/=90%
	50% Overload limit for minimum 1 minutes	Yes, No, only for 3 seconds

Additional Specification Parameters - Online Ups-IS:9000 (11 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)	
Warranty	5 years	

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	11	90

Fiber Optic Patch Cord (172 pieces)

Brand Type	Registered Brand	
------------	------------------	--

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
CONSTRUCTION	Connector Insertion loss, Max. (in dB)	0.3
	Connector Return loss , Min. (in dB)	50
	Material of Ferrule	Zirconia Ceramic, PreRadiused and pre polished
	Durability	500 Mating cycle
GENERIC	Description of item	Fiber Optic Patch Cord for Optical Fiber Cabling
	Connector type, Connector End A	SC
	Connector type, Connector End B	LC
	Cable type	Duplex
	Fiber type	Single Mode 9/125 micron
	Cable Size, Outer dia (in mm)	3
	Cord Length (in m)	3
	Jacket material (Sheath material)	LSZH
	Cable color	Yellow
	Operating temprature	-20 deg.C to +60 deg C

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	172	90

Fiber Optic Patch Panels, Rack Mountable (87 pieces)

Brand Type	Registered Brand	
------------	------------------	--

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Type of Connector for which optic fiber panel is compatible	SC, ST, FC, LC
	Fiber Optic Panels Compatible for	Single Mode, Simplex, Multi Mode , Simplex, Single Mode, Duplex, Multi Mode , Duplex
	No. of ports (in Nos.)	12

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	87	90

1G SFP Module (148 pieces)

Brand Type	Unbranded
	1

Technical Specifications

Buyer Specification Document	Download	
------------------------------	----------	--

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	148	90

10G SFP Module (44 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	----------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	44	90

Fibre Cable For Networking (7100 meter)

Brand Type Registered Brand

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic	Fibre count	6
	Jacket material	HDPE
	Fibre type	Single mode OS2

Specification	Specification Name	Bid Requirement (Allowed Values)	
Operational temperature range		-20 deg C to +60 deg. C	
	Storage temperature range	-20 deg C to +60 deg. C	
Constructional	Type of tube / no. of tube / no. of core per tube	Unitube /1/6	
	Cable Armouring	Armoured with ECCS tape	
Performance	Installation temperature range	-30 deg C to + 60 deg C	

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	7100	90

32MM HDPE CONDUIT / PIPE (7100 meter)

Brand Type	Unbranded	
------------	-----------	--

Technical Specifications

Buyer Specification Document	Download
Bayer speemeation becamene	Sommond

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	7100	90

Laying & Installation Charges For Cables (with Or Without Conduit) Suitable For CCTV System(Accessories) (7100 meter)

Brand Type	Unbranded	
Brana Type	51151411464	

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Laying & Installation	Suitable Conduit Pipe	Without
Charges for Cables (with or without	Conduit material	HDPE Pipe
conduit) Suitable for CCTV	Laying location	Under Ground
System(Accessories)	Depth of laying in case of under ground laying	90.0
	Number of Cables to be laid	Bunch upto 5 Cables of any type

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	7100	90

24- Port 10G Managed Switch (1 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	<u>Download</u>

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	1	90

Media Control Systems Or Wireless Presentation System (1 pieces)

rand Type	Registered Brand
-----------	------------------

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Output Resolution (Pixel x Pixel)	2160p
	Frame Rate (fps)	60
	Data Transfer Rate (Mbps)	1000.0 Or higher
	Wireless Range (Maximum) (meters)	60.0 - 999.0 Or higher
	On Site OEM Warranty (Years)	3

Additional Specification Parameters - Media Control Systems Or Wireless Presentation System (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)	
Warranty (Years)	5 years	

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	1	90

Media Control Systems Or Wireless Presentation System (1 pieces)

and Type	Registered Brand
----------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Output Resolution (Pixel x Pixel)	2160p
	Frame Rate (fps)	60
	Data Transfer Rate (Mbps)	1000.0 Or higher
	Wireless Range (Maximum) (meters)	60.0 - 999.0 Or higher
	On Site OEM Warranty (Years)	3

Additional Specification Parameters - Media Control Systems Or Wireless Presentation System (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	5 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	1	90

Switcher (1 pieces)

Brand Type	Registered Brand	
prana rype	Negistered Didita	

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
TYPE	Type of Switcher	Modular
	Type of Switching	Matrix
INPUT	Number of Inputs	16.0 Or higher
	Type of Inputs	HDMI, DVI-I, DVI-D, Display ;Port, USB
	Input Resolution 4K Or higher	

Specification	Specification Name	Bid Requirement (Allowed Values)
OUTPUT	Number of Outputs	14.0 - 128.0 Or higher
	Type of Outputs	HDMI, DVI-I, DVI-D, HD Base T / Receiver Input, Line in
	Output Resolution	4K Or higher
OPTIONS	Option for Built-in Control Processor	No
	Option for Built-in Amplifier	No
WARRANTY	On Site OEM Warranty	3

Additional Specification Parameters - Switcher (1 pieces)

	Specification Parameter Name	Bid Requirement (Allowed Values)
ľ	Warranty	5

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	1	90

Audio Video Cable (8 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Rid Requirement (Allowed Values)
Specification	Specification Name	Bid Requirement (Allowed Values)

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	8	90

Media Control Systems Or Wireless Presentation System (2 pieces)

Brand Type	Registered Brand
, 	-

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification Output Resolution (Pixel x Pixel)		1080p
	Frame Rate (fps)	30
	Data Transfer Rate (Mbps)	100.0 Or higher
	Wireless Range (Maximum) (meters)	15.0 - 999.0 Or higher
	On Site OEM Warranty (Years)	3

Additional Specification Parameters - Media Control Systems Or Wireless Presentation System (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	3 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	2	90

PA Mixer (2 pieces)

		Registered Brand
--	--	------------------

Technical Specifications

* As per GeM Category Specification

Specification Specification Name		Bid Requirement (Allowed Values)	
Specification Type		Powered	
	Number of Channels	6	
	Warranty (Year)	3	

Additional Specification Parameters - PA Mixer (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty (Year)	5 years

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Shaileshpuri Dashrathpuri Goswami	380009,Gujarat University, Navarangpura, Ahmedabad	2	90

Buyer added Bid Specific Additional Scope of Work

S.No.	Document Title	Description	Applicable i.r.o. Items
-------	----------------	-------------	-------------------------

S.No.	Document Title	Description	Applicable i.r.o. Items
1	Scope of Work View	Additional Scope of Work	Camera For CCTV System(300),Camera For CCTV System(75),Video Recorder For Cctv System-IS 9000(1),Video Recorder For Cctv System-IS 9000(4),Video Recorder For Cctv System-IS 9000(1),Video Recorder For Cctv System-IS 9000(2),Video Recorder For Cctv System-IS 9000(2),8 Port PoE Managed Switch(68),Networking Rack 9U(142),Professional Large Format Display(9),Professional Large Format Display(4),Line Intractive UPS With AVR(68),Cat 6 Patch Cord(1679),Cat 6 Patch Cord(1304),24 Port L2 Managed Switch(74),24 Port Fiber And Copper Managed Switch(11),Networking Rack 24U(11),Online Ups- IS:9000(11),1G SFP Module(148),10G SFP Module(148),10G SFP Module(148),Fibre Cable For Networking(7100),32MM HDPE CONDUIT / PIPE(7100),24- Port 10G Managed Switch(1),Media Control Systems Or Wireless Presentation System(1),Media Control Systems Or Wireless Presentation System(1),Switcher(1),Audio Video Cable(8),Media Control Systems Or Wireless Presentation System(2),PA Mixer(2)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Special terms and conditions-Version:1 effective from 04-05-2020 for category Laying & Installation Charges for Cables (with or without conduit) Suitable for CCTV System(Accessories)

- 1. In addition to General Terms and Conditions of the GeM following Special T&C shall be applicable for Laying & Installation charges for Cables (with or without conduit) suitable for CCTV System:
 - 1. Inclusive in the Scope of laying & installation:
 - 1. Supply of Conduit and Laying of Conduit with necessary fittings such as bends, joints, reducers, Tees etc., wherever required.
 - 2. All necessary accessories such as conduit pipe fittings, mounting clips etc., for proper laying and installation of Conduit, wherever required.
 - 3. Supply of suitable Connectors required for connecting the cable with Camera / DVR / NVR / HVR / SFP module / PoE Switch etc.
 - 4. Proper dressing of Cable ends, Pre-forming of connecting cables (end termination) and Fixing suitable connectors.
 - 5. Digging of trench for underground laying and properly closing the trench after completion of laying work, wherever required.
 - 6. The trench for underground laying, wherever applicable, may be upto 30 cm (1 foot) wide and depth as specified in the contract. seller may use horizontal boring machine if required.
 - 7. Cutting / Chiselling of grooves in the walls for concealed laying in walls and Cementing & finishing of the grooved portion after completion of laying work, wherever required.
 - 2. Not inclusive in the Scope of laying & installation:

- 1. Obtaining necessary approvals / permissions from the concerned Authorities, if any, for Digging trenches, Cutting / Chiselling of grooves in the walls, wherever required.
- 3. Buyer's obligations:
 - 1. Obtaining necessary approvals / permissions from the concerned Authorities, if any, for Digging trenches, Cutting / Chiselling of grooves in the walls, wherever required.
 - 2. Buyer / Consignee shall provide power point for drilling holes, cutting grooves, etc., for indoor laying & installation of cables.

Special terms and conditions-Version:1 effective from 04-05-2020 for category Supply & Installation of Pole / Mast Suitable for CCTV System (Accessories)

- 1. In addition to General Terms and Conditions of the GeM following Special T&C shall be applicable for Supply & Installation of Pole / Mast suitable for CCTV System.
 - 1. Inclusive in the Scope of installation and Commissioning:
 - 1. Supply of Pole / Mast and mounting bracket, where applicable.
 - 2. Civil work for fixing of Pole / Mast into the ground
 - 3. All necessary accessories such as nuts, bolts, rivets, anchoring bolts, base plate, bracket, etc., for fixing of Pole / Mast and provisioning of cabling glands for CCTV Cameras.
 - 2. Not inclusive in the Scope of installation and Commissioning:
 - 1. Obtaining necessary approvals / permissions from the concerned Authorities, if any, for Installation of Pole / Mast suitable for CCTV System.
 - 3. Buyer's obligations:
 - Obtaining necessary approvals / permissions from the concerned Authorities, if any, for Installation of Pole / Mast suitable for CCTV System."

Special terms and conditions-Version:1 effective from 04-05-2020 for category Online Ups-IS:9000

Calculation of Minimum VAH based on Back up time
 Minimum VAH requirements would be calculated on the basis of following:
 (VAH Calculation: Battery Voltage x Battery Ah x No. of Batteries = VAH)

UPS Rating	15 Minutes	30 Minutes	60 Minutes	90 Minutes	120 Minutes	180 Minutes	240 Minutes
1 KVA	400 VAH	800 VAH	1600 VAH	2400 VAH	3200 VAH	4800 VAH	6400 VAH
2 KVA	800 VAH	1600 VAH	3200 VAH	4800 VAH	6400 VAH	9600 VAH	12800 VAH
3 KVA	1200 VAH	2400 VAH	4800 VAH	7200VAH	9600 VAH	14400 VAH	19200 VAH
5 KVA	2000 VAH	4000 VAH	8000 VAH	12000 VAH	16000 VAH	24000 VAH	32000 VAH
6 KVA	2400 VAH	4800 VAH	9600 VAH	14400 VAH	19200 VAH	28800 VAH	38400 VAH
7.5 KVA	3000 VAH	6000 VAH	12000 VAH	18000 VAH	24000 VAH	36000 VAH	48000 VAH
10 KVA	4000 VAH	8000 VAH	16000 VAH	24000 VAH	32000 VAH	48000 VAH	64000 VAH
15 KVA	6000 VAH	12000 VAH	24000 VAH	36000 VAH	48000 VAH	72000 VAH	96000 VAH
20 KVA	8000 VAH	16000 VAH	32000 VAH	48000 VAH	64000 VAH	96000 VAH	128000 VAH
30 KVA	12000 VAH	24000 VAH	48000 VAH	72000 VAH	96000 VAH	144000 VAH	192000 VAH
40 KVA	16000 VAH	32000 VAH	64000 VAH	96000 VAH	128000 VAH	192000 VAH	256000 VAH
60 KVA	24000 VAH	48000 VAH	96000 VAH	144000 VAH	192000 VAH	288000 VAH	384000 VAH
80 KVA	32000 VAH	64000 VAH	128000 VAH	192000 VAH	256000 VAH	384000 VAH	512000 VAH
100 KVA	40000 VAH	80000 VAH	160000 VAH	240000 VAH	320000 VAH	480000 VAH	640000 VAH

Buyer Added Bid Specific Terms and Conditions

1. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid

document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

3. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

4. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

5. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

6. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

8. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of The Registrar, Gujarat University payable at Ahmedabad.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand

names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---